THE INSTITUTION
OF ELECTRICAL
ENGINEERS

IEE Proceedings Part G

Electronic Circuits and Systems

Vol. 127 1980

Published by
The IEE Savoy Place, London WC2R 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ

IEE Proceedings Part G

ELECTRONIC CIRCUITS AND SYSTEMS

The Institution of Electrical Engineers, Savoy Place, London WC2 0BL, England
Publishing Department: PO Box 8, Southgate House, Stevenage, Herts. SG1 1HQ England

Volume 127 1980 UK ISSN 0143–7089

HONORARY EDITORS

Dr. R.Spence (Imperial College, London)
M. Withers (Andrew Antennas, Fife)

Pages in issues of IEE Proceedings Part G, 1980

Pages	Issue no.	Date
1-44	1	February
45-100	2	April
101-164	3	June
165-208	4	August
209-252	5	October
253-332	6	December

This publication is copyright under the Berne Convention and the International Copyright Convention. All rights reserved. Apart from any copying under the UK Copyright Act 1956, part 1, section 7, whereby a single copy of an article may be supplied, under certain conditions, for the purposes of research or private study, by a library of a class prescribed by the UK Board of Trade Regulations (Statutory Instruments, 1957, no. 868), no part of this publication may be reproduced, stored in a retrieval system or transmitted in any form or by any means without the prior permission of the copyright owners. Permission is, however, not required to copy abstracts of papers or articles on condition that a full reference to the source is shown.

An IEE licensing arrangement exists whereby organisations entering into an agreement are legally entitled to make up to ten copies of an IEE paper or article.

The appearance of the code at the bottom of the first page of an article in this journal indicates the copyright owner's consent that copies of the article may be made in the USA for personal or internal use, or for the personal or internal use of specific clients. This consent is given on the condition, however, that the copier pay the stated per-copy fee through the Copyright Clearance Center. Inc. for copying beyond that permitted by Sections 107 or 108 of the US Copyright Law. This consent does not extend to other kinds of copying, such as copying for general distribution, for advertising or promotional purposes for creating new collective works or for resale.

Photocopies of individual papers published in the IEE Proceedings can be obtained from the IEE Library at 10p a page plus a handling charge of 50p per paper, which covers the cost of surface mail (airmail extra). The handling charge is waived if reprints are collected from Savoy Place by purchasers.

The IEE is not as a body responsible for the opinions expressed by individual authors.
The IEE is a member of the Association of Learned & Professional Society Publishers.
©1980: The Institution of Electrical Engineers

Secretary of the IEE: H.H.W. Losty; *Editor in Chief:* J.D.St.Aubyn; *Managing Editor:* B.Dunkley;
Assistant Editor: Eric Ratcliffe; *Graphics Manager:* M.C.Partridge; *Marketing Manager:* A.N.Baldwin

Typeset by: Alden Press (London and Northampton) Ltd., England
Printed in England by: Unwin Brothers Ltd., Old Woking, Surrey

INDEX

IEE Proceedings Part G
Electronic Circuits and Systems
Vol. 127, 1980

Abbreviations
p Paper, address or lecture
d Discussion on a paper
a Abstract of paper or address
e Errata
s Synopsis of a paper published in full in another Part of the IEE Proceedings

Author index

A

Aboulnasr, T.T., and Fahmy, M.M. Optimisation of active URC filters for magnitude and/or linear-phase specifications p242
Ackroyd, M.H., and Oligboh, C.N. see Oligboh, C.N.
Agnew, D. Design centering and tolerancing via margin sensitivity minimisation p270
Antoniou, A., and Charalambous, C. see Charalambous, C.

B

Biswas, J.R., and Ghosh, S. see Ghosh, S.
Bolton, A.G. Coefficient sensitivity in recursive digital filters implemented using microprocessors p177
Bolton, A.G. Y transform, for the design of recursive digital filters p145
Burrow, N.G., Walton, A.J., Marsden, B.J., and Moran, P.L. see Walton, A.J.

C

Char, J.P., and Dadheech, S.D. Edge-numbering convention: an insight into circuit formation p41
Charalambous, C., and Antoniou, A. Equalisation of recursive digital filters p219
Chiou, C.-F., and Schaumann, R. Comparison of dynamic range properties of high-order active bandpass filters p101
Choma, J. Actively peaked broadbanded monolithic amplifier p61
Cloete, J.H. Alternating-plane property of the poles of even-degree low pass filters p16
Coupe, F.G.A., and Sewell, J.I. Digital active network analysis p181

D

Da Costa, E.M., and Nichols, K.G. 'MASCOT' p302
Dadheech, S.D., and Char, J.P. see Char, J.P.
Dennis, T.J. Nonlinear temporal filter for television picture noise reduction p52
Dimmer, P.R., and Putteridge, O.P.D. Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations p278
Director, S.W., and Maly, W. see Maly, W.

E

Evans, S., and Theodorou, E.A. see Theodorou, E.A.
Evans, W.A., and Towers, M.S. Hybrid technique in waveform generation and synthesis p119

F

Fahmy, M.M., and Aboulnasr, T.T. see Aboulnasr, T.T.
Filanovsky, I.M., Stromsmoe, K.A., Saraga, W., and Talbot, A. Property of analytic functions related to band-pass transformation p176
Foster, S.J., and Redwood, M. Enlargement of piezoelectric filter bandwidth by parallel connection of coupled resonators p209

G

Gago, A., and Huertas, J.L. see Huertas, J.L.
Ghausi, M.S., and Malawka, J. see Malawka, J.
Ghosh, S., and Biswas, J.R. Generation of high-frequency sinusoidal voltage using solid-state switching device, actuating pulse transformer and operated by a d.c. power pack p109
Gladstone, K.J., and McGeehan, J.P. Computer simulation of multipath fading in the land mobile radio environment p323

H

Ha, T.T. Microwave power combining and graceful degradation p148
Hart, B.L. Saturation characteristics of n-p-n dual-output current mirror p173
Hökenek, E., and Moschytz, G.S. Analysis of general switched-capacitor networks using indefinite admittance matrix p21
Hökenek, E., and Moschytz, G.S. Analysis of multiphase switched-capacitor (m.s.c.) networks using the indefinite admittance matrix (i.a.m.) p226
Hosticka, B.J., and Moschytz, G.S. see Moschytz, G.S.
Huertas, J.L., and Gago, A. Regionaliser: a new nonlinear transformation convertor p247

I

Ivannikov, A.D., and Sipchuk, P.P. Computer-aided design of m.o.s. integrated layout p313

K

Kinniment, D.J. Performance comparison of conventional and backtracking algorithms in circuit routing p309
Kontoleon, J.M. Fast decomposition of networks in minimally interconnected subnetworks p215

L

Lajacono, R. Simplified method for synthesising m.q.f. filters p57

M

McGeehan, J.P., and Gladstone, K.J. see Gladstone, K.J.
Maclean, D.J.H. Practical analysis of wide-band feedback amplifiers p1
Malawka, J., and Ghausi, M.S. Second-order function realisation with switched-capacitor network and unity-gain amplifiers p187
Maly, W., and Director, S.W. Dimension reduction procedure for the simplicial approximation approach to design centering p255
Marsden, B.J., Walton, A.J., Moran, P.L., and Burrow, N.G. see Walton, A.J.
Mengali, U., and Pirani, G. Timing-jitter growth in a chain of regenerative repeaters for optical-fibre transmissions p153 e331
Moran, P.L., and Scurr, D. see Scurr, D.
Moran, P.L., Walton, A.J., Marsden, B.J., and Burrow, N.G. see Walton, A.J.
Moschytz, G.S., and Hosticka, B.J. Transmission matrix of switched-capacitor ladder networks: application in active-filter design p87
Moschytz, G.S., and Hökenek, E. see Hökenek, E.
Moschytz, G.S., and Hökenek, E. see Hökenek, E.
Mouftah, H.T., and Smith, K.C. Design and implementation of three-valued logic systems with m.o.s. integrated circuits p165

N

Nichols, K.G., and Da Costa, E.M. see Da Costa, E.M.
Nowrouzian, B., and Saraga, W. An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements p284

O

Oligboh, C.N., and Ackroyd, M.H. Linear frequency coded sequence (l.f.c.s.) p191

P

Pandey, K. Second generation teletext and viewdata decoders e33
Pirani, G., and Mengali, U. see Mengali, U.
Putteridge, O.P.D., and Dimmer, P.R. see Dimmer, P.R.

R

Rabbat, N.B.G., and Sangiovanni-Vincentelli, A.L. see Sangiovanni-Vincentelli, A.L.
Rao, J., Smith, T.F., and Woods, B.J. see Smith, T.F.
Redwood, M., and Foster, S.J. see Foster, S.J.

S

Saha, S.K. Inverting integrator with extended time constant using grounded capacitor p99
Saleh, N., and Tewfick, S. Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers p67
Sangiovanni-Vincentelli, A.L., and Rabbat, N.B.G. Techniques for time-domain analysis of l.s.i. circuits p292
Saraga, W., Filanovsky, I.M., Stromsmoe, K.A., and Talbot, A. see Filanovsky, I.M.
Saraga, W., and Nowrouzian, B. see Nowrouzian, B.
Schaumann, R., and Chiou, C.-F. see Chiou, C.-F.
Scurr, D., and Moran, P.L. Termination of lossless coupled transmission lines subjected to a transient stimulus p75
Sen, A.E., and Tokad, Y. Generalised cascade sum of matrices associated with active RLC multiports through generalised inverses p169
Sewell, J.I., and Coupe, F.G.A. see Coupe, F.G.A.
Sipchuk, P.P., and Ivannikov, A.D. see Ivannikov, A.D.
Smith, K.C., and Mouftah, H.T. see Mouftah, H.T.
Smith, T.F., Woods, B.J., and Rao, J. POLIGON: a new interactive graphics system p317

Soin, R.S., and Spence, R. Statistical exploration approach to design centering p260
Spence, R., and Soin, R.S. see Soin, R.S.
Starzyk, J. Signal-flow-graph analysis by decomposition method p81
Stromsmoe, K.A., Filanovsky, I.M., Saraga, W., and Talbot, A. see Filanovsky, I.M.

T

Talbot, A., Filanovsky, I.M., Stromsmoe, K.A., and Saraga, W. see Filanovsky, I.M.
Taub, D.M. Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays p129
Tewfick, S., and Saleh, N. see Saleh, N.
Theodorou, E.A., and Evans, S. Detection of broadband u.h.f. signals using analogue correlation p199
Tokad, Y., and Sen, A.E. see Sen, A.E.
Towers, M.S., and Evans, W.A. see Evans, W.A.

W

Walton, A.J., Marsden, B.J., Moran, P.L., and Burrow, N.G. Two-dimensional analysis of tapered distributed networks using finite elements p34 e100
Wilson, G. Unilateral capacitor element and its application in low-frequency RC active filters p13
Woods, B.J., Smith, T.F., and Rao, J. see Smith, T.F.
Woods, J.V., and Zobel, R.N. Fast synthesised cyclic-parallel analogue-digital convertor p45

Z

Zobel, R.N., and Woods, J.V. see Woods, J.V.

Subject index

ACTIVE NETWORKS

Digital active network analysis. F.G.A.Coupe and J.I.Sewell p181
Optimisation of active URC filters for magnitude and/or linear-phase specifications. T.T.Aboulnasr and M.M.Fahmy p242

ALGEBRA
(incl. Matrix Algebra)

Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz p21
Generalised cascade sum of matrices associated with active RLC multiports through generalised inverses. A.E.Sen and Y.Tokad p169
Microwave power combining and graceful degradation. T.T.Ha p148
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka p87
Two-dimensional analysis of tapered distributed networks using finite elements. A.J.Walton, B.J.Marsden, P.L.Moran and N.G.Burrow p34 e100

AMPLIFIERS

Actively peaked broadbanded monolithic amplifier. J.Choma p61
Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers. N.Saleh and S.Tewfick p67
Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel p45
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean p1
Second-order function realisation with switched-capacitor network and unity-gain amplifiers. J.Malawka and M.S.Ghausi p187

ANALOGUE COMPUTERS AND COMPUTATION

Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel p45

ANALOGUE-DIGITAL CONVERSION

Digital active network analysis. F.G.A.Coupe and J.I.Sewell p181
Y transform, for the design of recursive digital filters. A.G.Bolton p145

CAPACITANCE AND CAPACITORS

Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz p21
Analysis of multiphase switched-capacitor (m.s.c.) networks using the indefinite admittance matrix (i.a.m.). E.Hökenek and G.S.Moschytz p226
Inverting integrator with extended time constant using grounded capacitor. S.K.Saha p99
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka p87
Unilateral capacitor element and its application in low-frequency RC active filters. G.Wilson p13

CIRCUIT THEORY AND DESIGN

Actively peaked broadbanded monolithic amplifier. J.Choma p61
Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays. D.M.Taub p129
Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers. N.Saleh and S.Tewfick p67
Design and implementation of three-valued logic systems with m.o.s. integrated circuits. H.T.Mouftah and K.C.Smith p165
Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel p45
Generalised cascade sum of matrices associated with active RLC multiports through generalised inverses. A.E.Sen and Y.Tokad p169
Saturation characteristics of n-p-n dual-output current mirror. B.L.Hart p173
Statistical exploration approach to design centering. R.S.Soin and R.Spence p260
Techniques for time-domain analysis of l.s.i. circuits. A.L.Sangiovanni-Vincentelli and N.B.G.Rabbat p292
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka p87

CODES AND DECODING

Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd p191
Second generation teletext and viewdata decoders. K.Pandey e33

COMPUTER APPLICATIONS

An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga p284
Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays. D.M.Taub p129
Computer-aided design of m.o.s. integrated layout. A.D.Ivannikov and P.P.Sipchuk p313
Computer simulation of multipath fading in the land mobile radio environment. K.J.Gladstone and J.P.McGeehan p323
Design centering and tolerancing via margin sensitivity minimisation. D.Agnew p270
Dimension reduction procedure for the simplicial approximation approach to design centering. W.Maly and S.W.Director p255
'MASCOT'. E.M.Da Costa and K.G.Nichols p302
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment p309
POLIGON: a new interactive graphics system. T.F.Smith, B.J.Woods and J.Rao p317
Signal-flow-graph analysis by decomposition method. J.Starzyk p81
Statistical exploration approach to design centering. R.S.Soin and R.Spence p260

COMPUTER GRAPHICS

Dimension reduction procedure for the simplicial approximation approach to design centering. W.Maly and S.W.Director p255
POLIGON: a new interactive graphics system. T.F.Smith, B.J.Woods and J.Rao p317

CONVERTORS

Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel p45
Hybrid technique in waveform generation and synthesis. W.A.Evans and M.S.Towers p119
Regionaliser: a new nonlinear transformation convertor. J.L.Huertas and A.Gago p247

DIGITAL COMMUNICATION SYSTEMS AND SIGNALLING

Fast synthesised cyclic-parallel analogue-digital convertor. J.V.Woods and R.N.Zobel p45

DIGITAL SIMULATION

'MASCOT'. E.M.Da Costa and K.G.Nichols p302

FILTERS, FILTERING AND PREDICTION THEORY

Alternating-plane property of the poles of even-degree low pass filters. J.H.Cloete p16
An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga p284
Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz p21
Coefficient sensitivity in recursive digital filters implemented using microprocessors. A.G.Bolton p177
Comparison of dynamic range properties of high-order active band-pass filters. C.-F.Chiou and R.Schaumann p101
Digital active network analysis. F.G.A.Coupe and J.I.Sewell p181
Enlargement of piezoelectric filter bandwidth by parallel connection of coupled resonators. S.J.Foster and M.Redwood p209
Equalisation of recursive digital filters. C.Charalambous and A.Antoniou p219
Nonlinear temporal filter for television picture noise reduction. T.J.Dennis p52
Optimisation of active URC filters for magnitude and/or linear-phase specifications. T.T.Aboulnasr and M.M.Fahmy p242
Property of analytic functions related to band-pass transformation. I.M.Filanovsky, K.A.Stromsmoe, W.Saraga and A.Talbot p176
Second-order function realisation with switched-capacitor network and unity-gain amplifiers. J.Malawka and M.S.Ghausi p187
Simplified method for synthesising m.q.f. filters. R.Lajacono p57
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka p87
Two-dimensional analysis of tapered distributed networks using finite elements. A.J.Walton, B.J.Marsden, P.L.Moran and N.G.Burrow p34 e100
Unilateral capacitor element and its application in low-frequency RC active filters. G.Wilson p13

Y transform, for the design of recursive digital filters. A.G.Bolton p145

FREQUENCY-DOMAIN ANALYSIS

Hybrid technique in waveform generation and synthesis. W.A.Evans and M.S.Towers p119

GRAPH THEORY AND TOPOLOGY

Comparison of dynamic range properties of high-order active band-pass filters. C.-F.Chiou and R.Schaumann p101
Edge-numbering convention: an insight into circuit formation. J.P.Char and S.D.Dadheech p41
Signal-flow-graph analysis by decomposition method. J.Starzyk p81

LOGIC

Design and implementation of three-valued logic systems with m.o.s. integrated circuits. H.T.Mouftah and K.C.Smith p165
'MASCOT'. E.M.Da Costa and K.G.Nichols p302

MATHEMATICAL TECHNIQUES

Design centering and tolerancing via margin sensitivity minimisation. D.Agnew p270
Dimension reduction procedure for the simplicial approximation approach to design centering. W.Maly and S.W.Director p255
Edge-numbering convention: an insight into circuit formation. J.P.Char and S.D.Dadheech p41
Equalisation of recursive digital filters. C.Charalambous and A.Antoniou p219
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment p309
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Putteridge p278
Signal-flow-graph analysis by decomposition method. J.Starzyk p81
Statistical exploration approach to design centering. R.S.Soin and R.Spence p260
Techniques for time-domain analysis of l.s.i. circuits. A.L.Sangiovanni-Vincentelli and N.B.G.Rabbat p292
Timing-jitter growth in a chain of regenerative repeaters for optical-fibre transmissions. U.Mengali and G.Pirani p153 e331

MECHANICAL OSCILLATION

Simplified method for synthesising m.q.f. filters. R.Lajacono p57

METAL-OXIDE-SEMICONDUCTOR STRUCTURES

Computer-aided design of m.o.s. integrated layout. A.D.Ivannikov and P.P.Sipchuk p313

MICROPROCESSORS

Coefficient sensitivity in recursive digital filters implemented using microprocessors. A.G.Bolton p177
Microwave power combining and graceful degradation. T.T.Ha p148

MICROWAVE COMPONENTS

Microwave power combining and graceful degradation. T.T.Ha p148

MICROWAVE SYSTEMS

Alternating-plane property of the poles of even-degree low pass filters. J.H.Cloete p16

NETWORKS

An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga p284
Analysis of general switched-capacitor networks using indefinite admittance matrix. E.Hökenek and G.S.Moschytz p21
Analysis of multiphase switched-capacitor (m.s.c.) networks using the indefinite admittance matrix (i.a.m.). E.Hökenek and G.S.Moschytz p226
Design centering and tolerancing via margin sensitivity minimisation. D.Agnew p270
Edge-numbering convention: an insight into circuit formation. J.P.Char and S.D.Dadheech p41
Enlargement of piezoelectric filter bandwidth by parallel connection of coupled resonators. S.J.Foster and M.Redwood p209
Fast decomposition of networks in minimally interconnected subnetworks. J.M.Kontoleon p215
Inverting integrator with extended time constant using grounded capacitor. S.K.Saha p99
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean p1
Property of analytic functions related to band-pass transformation. I.M.Filanovsky, K.A.Stromsmoe, W.Saraga and A.Talbot p176
Second-order function realisation with switched-capacitor network and unity-gain amplifiers. J.Malawka and M.S.Ghausi p187
Signal-flow-graph analysis by decomposition method. J.Starzyk p81
Simplified method for synthesising m.q.f. filters. R.Lajacono p57
Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran p75
Transmission matrix of switched-capacitor ladder networks: application in active-filter design. G.S.Moschytz and B.J.Hosticka p87
Two-dimensional analysis of tapered distributed networks using finite elements. A.J.Walton, B.J.Marsden, P.L.Moran and N.G.Burrow p34 e100
Unilateral capacitor element and its application in low-frequency RC active filters. G.Wilson p13

NOISE AND INTERFERENCE

Nonlinear temporal filter for television picture noise reduction. T.J.Dennis p52

NONLINEAR SYSTEMS

Regionaliser: a new nonlinear transformation convertor. J.L.Huertas and A.Gago p247
Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Putteridge p278

OPTICAL FIBRES

Timing-jitter growth in a chain of regenerative repeaters for optical-fibre transmissions. U.Mengali and G.Pirani p153 e331

OPTIMAL CONTROL

Second derivative Gauss-Newton-based method for solving nonlinear simultaneous equations. P.R.Dimmer and O.P.D.Putteridge p278

POWER ELECTRONICS

Inverting integrator with extended time constant using grounded capacitor. S.K.Saha p99
Microwave power combining and graceful degradation. T.T.Ha p148

PRINTED CIRCUITS

Actively peaked broadbanded monolithic amplifier. J.Choma p61
Design and implementation of three-valued logic systems with m.o.s. integrated circuits. H.T.Mouftah and K.C.Smith p165
Performance comparison of conventional and backtracking algorithms in circuit routing. D.J.Kinniment p309

RADAR AND RADIONAVIGATION

Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd p191

RADIOCOMMUNICATION

Detection of broadband u.h.f. signals using analogue correlation. E.A.Theodorou and S.Evans p199

SIGNAL PROCESSING

An analysis program, PAMS, for linear signal processing systems containing carrier-actuated modulators as time-varying elements. B.Nowrouzian and W.Saraga p284
Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd p191

SIMULATION

Calculator-aided evaluation of integrated n-m.o.s. operational amplifiers. N.Saleh and S.Tewfick p67
Computer simulation of multipath fading in the land mobile radio environment. K.J.Gladstone and J.P.McGeehan p323
Techniques for time-domain analysis of l.s.i. circuits. A.L.Sangiovanni-Vincentelli and N.B.G.Rabbat p292

STABILITY

Practical analysis of wideband feedback amplifiers. D.J.H.Maclean p1

TELETEXT AND VIEWDATA

Second generation teletext and viewdata decoders. K.Pandey e33

TELEVISION

Analysis of line-scan output/e.h.t. generator circuit for c.r.t. displays. D.M.Taub p129
Nonlinear temporal filter for television picture noise reduction. T.J.Dennis p52

TRANSFER FUNCTIONS

Alternating-plane property of the poles of even-degree low pass filters. J.H.Cloete p16
Property of analytic functions related to band-pass transformation. I.M.Filanovsky, K.A.Stromsmoe, W.Saraga and A.Talbot p176

TRANSFORMERS AND SWITCHGEAR

Generation of high-frequency sinusoidal voltage using solid-state switching device, actuating pulse transformer and operated by a d.c. power pack. S.Ghosh and J.R.Biswas p109

TRANSFORMS

Linear frequency coded sequence (l.f.c.s.). C.N.Oligboh and M.H.Ackroyd p191

TRANSIENTS

Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran p75

TRANSISTORS

Actively peaked broadbanded monolithic amplifier. J.Choma p61
Practical analysis of wideband feedback amplifiers. D.J.H.Maclean p1
Saturation characteristics of n-p-n dual-output current mirror. B.L.Hart p173

TRANSMISSION-LINE THEORY

Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran p75

WAVE PROPAGATION

Generation of high-frequency sinusoidal voltage using solid-state switching device, actuating pulse transformer and operated by a d.c. power pack. S.Ghosh and J.R.Biswas p109

WAVES AND WAVE SCATTERING

Computer simulation of multipath fading in the land mobile radio environment. K.J.Gladstone and J.P.McGeehan p323
Hybrid technique in waveform generation and synthesis. W.A.Evans and M.S.Towers p119
Termination of lossless coupled transmission lines subjected to a transient stimulus. D.Scurr and P.L.Moran p75

Book Review

Circuity and system theory: G. Lago and L.M. Benningfield p60

Conference Publication

181 Second International Conference on Automotive electronics 66